



### Killdeer

(Charadrius vociferus







#### **How to Identify:**

- Medium sized shore bird with two black bands across its chest.
- Slender "stick" like legs, rufous feathers down its back, black and white banding down its face and breast, white underbelly, and red eye.
- Call is frequent, whinnying that sounds like "kill-dEEEEr, kill-dEEEEEr"

#### **Habitat:**

- Widespread and found all over North and Central America
- Often found at the water's edge, but can be found far from the water in fields
- Their nesting sites are found on the ground, camouflaged into rocky soil, gravel sites or even in lawns

Idaho Department of Parks and Recreation parksandrecreation.idaho.gov





## Killdeer

(Charadrius vociferus



#### **Fun Facts!**

- They pretend to have a broken wing or leg to lure potential predators away from their nests (as seen in image below).
- Chicks are about the size of a large cotton ball and sit down when threatened







### Killdeer


(Charadrius vociferus



#### **Help Protect the Killdeer**

- Killdeer have integrated themselves within human development. Their nests have been found on golf courses, sports fields, and gravel parking lots. Be aware of nesting sites and leave them alone. Perhaps place a marker near by so you know where to give a wide berth when mowing the lawn.
- Killdeer are poisoned when eating insects that have been contaminated with pesticides. Try alternative lawn and garden care.









### Killdeer

(Charadrius vociferus



## VOCABULARY

clutch: grouping of eggs laid

**camouflage**: coloring to disguise and blend into the environment

**rufous**: reddish brown coloring often used to describe the coloring of birds

# ACTIVITY TIME

1. Watch a video	on a Killdeer	'broken-wing'	display and	ʻun-
gulate display.'	How are they	similar and how	are they diffe	rent in
the killdeers effort to protect against predators?				